


DATE: Friday, June 14, 2002 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT; PLUR=YES; OP=AND			
<u>L18</u>	L17 and 12.clm.	25	<u>L18</u>
<u>L17</u>	L14 and 12	175	<u>L17</u>
<u>L16</u>	L15 and 12	4	<u>L16</u>
<u>L15</u>	L12 or L13	44	<u>L15</u>
<u>L14</u>	cortisol	1827	<u>L14</u>
<u>L13</u>	anticortisol	13	<u>L13</u>
<u>L12</u>	anti-cortisol	37	<u>L12</u>
<u>L11</u>	L8 and creatine	1	<u>L11</u>
<u>L10</u>	L9 and creatine	0	<u>L10</u>
<u>L9</u>	11 near 12	0	<u>L9</u>
<u>L8</u>	15 and 12.clm.	118	<u>L8</u>
<u>L7</u>	15 andl2.clm.	0	<u>L7</u>
<u>L6</u>	L5 and (pyruvate or pyruvic).clm.	18	<u>L6</u>
<u>L5</u>	L3	771	<u>L5</u>
DB=JPAB,EPAB,DWPI; PLUR=YES; OP=AND			
<u>L4</u>	L3	10	<u>L4</u>
DB = USPT, PGPB, JPAB, EPAB, DWPI; PLUR = YES; OP = AND			
<u>L3</u>	L2 and 11	930	<u>L3</u>
<u>L2</u>	osteoporosis or osteoarthritis or periodontitis	20881	<u>L2</u>
<u>L1</u>	pyruvate or pyruvic	17369	<u>L1</u>

END OF SEARCH HISTORY



## Stedman's Medical Dictionary 27th Edition

## mesenchyme

1. An <u>aggregation</u> of <u>mesenchymal</u> or fibroblastlike cells. 2. Primordial <u>embryonic</u> connective <u>tissue</u> consisting of <u>mesenchymal</u> cells, usually <u>stellate</u> in <u>form</u>, supported in interlaminar <u>jelly</u>. SYN: <u>mesenchyma</u>. [<u>mes-+ G. enkyma</u>, infusion] interzonal *m*. an area of <u>avascular</u> *m*. between adjacent <u>skeletal</u> elements in the <u>embryo</u>; it denotes the <u>region</u> of future joints. <u>synovial</u> *m*. <u>vascular</u> *m*. surrounding the interzonal *m*. it develops into the <u>synovial</u> <u>membrane</u> of a joint.

Copyright© 2000 Lippincott Williams & Wilkins. All rights reserved.

Copyright © 2002 by Medical Economics Company, Inc. at Montvale, NJ 07645. All rights reserved.

Monographs from the 2002 Physicians Desk Reference
Click here to read our Warranty and Disclaimer.

6/14/02 5 34 PM 1 of 1